

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2042	707/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 07:20
L2	701	707/4.ccls. and transaction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 07:20
L3	126	707/4.ccls. and transaction\$1 and isolat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 07:20
L4	44	707/4.ccls. and transaction\$1 and isolat\$3 and ("mult-version" or concurren\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 07:20
S1	2996	(transaction\$1 with data with structure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 10:38
S2	88	(transaction\$1 with data with structure\$1) and TID\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 10:38
S3	6	(transaction\$1 with data with structure\$1) and TID\$2 and (invisibilit\$3 with list\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 10:51
S4	11	(transaction\$1 with data with structure\$1) and TID\$2 and (TID\$2 with list\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 10:52

EAST Search History

S5	1	(transaction\$1 with data with structure\$1) and TID\$2 and (TID\$2 with list\$1) and ((low or high) with water with mark\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 10:53
S6	9	(transaction\$1 with data with structure\$1) and TID\$2 and (TID\$2 with list\$1) and ((time or timestamp\$1) with transaction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 10:54
S7	2	(transaction\$1 with data with structure\$1) and TID\$2 and (TID\$2 with list\$1) and ((time or timestamp\$1) with transaction\$1) and visibilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 10:54
S8	1	(transaction\$1 with data with structure\$1) and TID\$2 and (TID\$2 with list\$1) and ((time or timestamp\$1) with transaction\$1) and visibilit\$3 and (isolation with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 10:55
S9	1	(transaction\$1 with data with structure\$1) and TID\$2 and (TID\$2 with list\$1) and ((time or timestamp\$1) with transaction\$1) and (isolation with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 11:01
S10	10	((("multi-version" or (multi adj version\$1) or MV) with ((database\$1 with management with system) or DBMS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 11:04
S11	9	((("multi-version" or (multi adj version\$1) or MV) with ((database\$1 with management with system) or DBMS)) and (concurrent or concurrenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:11
S12	1	((("multi-version" or (multi adj version\$1) or MV) with ((database\$1 with management with system) or DBMS)) and (concurrent or concurrenc\$3) and visibilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 11:04

EAST Search History

S13	1	((("multi-version" or (multi adj version\$1) or MV) with ((database\$1 with management with system) or DBMS)) and (concurrent or concurrnc\$3) and (isolat\$3 with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 11:05
S14	6	((("multi-version" or (multi adj version\$1) or MV) with ((database\$1 with management with system) or DBMS)) and (concurrent or concurrnc\$3) and (isolat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 11:06
S15	2	((("multi-version" or (multi adj version\$1) or MV) with ((database\$1 with management with system) or DBMS)) and (concurrent or concurrnc\$3) and (isolat\$3) and (((unique\$2 with (identif\$4 or ID\$2)) or identifier\$1 or ID\$2) with transaction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 11:08
S16	6	((("multi-version" or (multi adj version\$1) or MV) with ((database\$1 with management with system) or DBMS)) and (concurrent or concurrnc\$3) and (isolat\$3) and (((unique\$2 with (identif\$4 or ID\$2)) or identifier\$1 or ID\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 11:24
S17	1	("5280612").PN.	USPAT; USOCR	OR	OFF	2006/02/24 13:01
S18	2	((("multi adj version) or "multi-version") adj database adj management adj system\$1) and (isolation adj level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:06
S19	2	((("multi adj version) or "multi-version") adj database adj management adj system\$1) and (isolation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:07
S20	2	((("multi adj version) or "multi-version") adj database adj management adj system\$1) and (isolation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:07

EAST Search History

S21	2	((("multi adj version) or "multi-version") adj database adj management adj system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:08
S22	3	((("multi adj version) or "multi-version") with database with management with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:08
S23	7	((("multi-version" or (multi adj version\$1) or MV) with ((database\$1 with management with system) or DBMS)) and (concurrent or concurrenc\$3) and ((table\$1 or list\$1) with transaction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:35
S24	1	("5701480").PN.	USPAT; USOCR	OR	OFF	2006/03/29 17:33
S25	50	("5701480").URPN.	USPAT	OR	OFF	2006/02/24 14:12
S26	0	("5701480").URPN. and ("multi-version" or (multi adj version\$1) or (many adj version\$1))	USPAT	OR	OFF	2006/02/24 14:12
S27	3604	(transaction with (ID\$2 or identifier\$1)) and (record\$1 with (ID\$2 or identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:36
S28	1	(transaction with (ID\$2 or identifier\$1)) and (record\$1 with (ID\$2 or identifier\$1)) and ("ANSI SQL92" with standard\$1) and (level\$1 with transaction\$1 with isolation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:37
S29	1	(transaction with (ID\$2 or identifier\$1)) and (record\$1 with (ID\$2 or identifier\$1)) and ("ANSI SQL92" with standard\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:38
S30	31	(transaction with (ID\$2 or identifier\$1)) and (record\$1 with (ID\$2 or identifier\$1)) and (level\$1 with transaction\$1 with isolation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:48

EAST Search History

S31	3	(transaction with (ID\$2 or identifier\$1)) and (record\$1 with (ID\$2 or identifier\$1)) and (level\$1 with transaction\$1 with isolation) and (((("multi-version" or (multi adj version\$1) or MV) with (database\$1 or (data adj base\$1)) with system\$1) or MVDBMS or (MV adj DBMS)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 11:41
S32	8	(transaction with (ID\$2 or identifier\$1)) and (record\$1 with (ID\$2 or identifier\$1)) and (level\$1 with transaction\$1 with isolation) and DBMS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 12:54
S33	7	(transaction with (ID\$2 or identifier\$1)) and (record\$1 with (ID\$2 or identifier\$1)) and (level\$1 with transaction\$1 with isolation) and DBMS and version	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 12:54
S34	7	(transaction with (ID\$2 or identifier\$1)) and (record\$1 with (ID\$2 or identifier\$1)) and (level\$1 with transaction\$1 with isolation) and DBMS and version\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 12:56
S35	5	(transaction with (ID\$2 or identifier\$1)) and (record\$1 with (ID\$2 or identifier\$1)) and (level\$1 with transaction\$1 with isolation) and DBMS and version\$1 and concurren\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 13:00
S36	1	("6237001").PN.	USPAT; USOCR	OR	OFF	2006/02/28 13:03
S37	391	(abraham or abrahm).in. and concurren\$4	US-PGPUB; USPAT	OR	OFF	2006/02/28 13:03
S38	28	(abraham or abrahm).in. and concurren\$4 and "707"	US-PGPUB; USPAT	OR	OFF	2006/02/28 13:03
S39	1	("6237001").PN.	USPAT; USOCR	OR	OFF	2006/02/28 15:59
S40	3	((("5701480") or ("6192377") or ("5870758")).PN.	USPAT; USOCR	OR	OFF	2006/02/28 16:00
S41	5	("6192377").URPN.	USPAT	OR	OFF	2006/02/28 16:01
S42	312	(transient with version\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:06

EAST Search History

S43	0	(transient with version\$1) and (tansaction\$1 with isolat\$2) and (transaction\$1 with (identifier\$1 or ID\$2)) and (record\$1 with (identifier\$1 or ID\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:08
S44	0	(transient with version\$1) and (tansaction\$1 with isolat\$3) and (transaction\$1 with (identifier\$1 or ID\$2)) and (record\$1 with (identifier\$1 or ID\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:09
S45	0	(transient with version\$1) and (tansaction\$1 with isolat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:09
S46	119	(transient with version\$1) and (isolat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:09
S47	18	(transient with version\$1) and (isolat\$3 with level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:09
S48	18	(transient with version\$1) and (isolat\$3 with level\$1) and version\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:09
S49	0	(transient with version\$1) and (isolat\$3 with level\$1) and version\$1 and (transaction\$1 with (identifier\$1 or ID\$2)) and (record\$1 with (identifier\$1 or ID\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10
S50	9	(transient with version\$1) and (isolat\$3 with level\$1) and version\$1 and transaction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:10

EAST Search History

S51	2	(transient with version\$1) and (isolat\$3 with level\$1) and version\$1 and transaction\$1 and record\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:11
S52	5	(transient with version\$1) and (isolat\$3 with (level\$1 or transaction\$3)) and version\$1 and transaction\$1 and record\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:12
S53	919	(isolat\$3 with (level\$1 or transaction\$3)) and version\$1 and transaction\$1 and record\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:12
S54	87	(isolat\$3 with (level\$1 or transaction\$3)) and version\$1 and (transaction\$1 with (identifier\$1 or ID\$2)) and (record\$1 with (identifier\$1 or ID\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:13
S55	4	(isolat\$3 with (level\$1 or transaction\$3)) and version\$1 and (transaction\$1 with (identifier\$1 or ID\$2)) and (record\$1 with (identifier\$1 or ID\$2)) and ((list\$1 or table\$1) with transaction\$1 with (isolated or invisible or (cannot with see)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:29
S56	55	(multi-version with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:30
S57	400	((("multi-version" or ((multiple or multi) adj version\$1)) with (database\$1 or (data with store\$1) or (data adj repositor\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:33
S58	400	("multi-version" or ((multiple or multi) adj version\$1)) with (database\$1 or (data with store\$1) or (data adj repositor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:33

EAST Search History

S59	8	("multi-version" or ((multiple or multi) adj version\$1)) with (database\$1 or (data with store\$1) or (data adj repositor\$3)) and (transaction\$1 with isolat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 12:27
S60	8	("multi-version" or ((multiple or multi) adj version\$1) or multiversion) with (database\$1 or (data with store\$1) or (data adj repositor\$3)) and (transaction\$1 with isolat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 12:27
S61	61400	(process\$3 with transaction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:39
S62	1483	(process\$3 with transaction\$1) and ((creat\$3 or assign\$3 or determin\$3) with record\$1 with (id\$2 or identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:40
S63	369	(process\$3 with transaction\$1) and ((creat\$3 or assign\$3 or determin\$3) with record\$1 with (id\$2 or identifier\$1) with unique\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:41
S64	27	(process\$3 with transaction\$1) and ((creat\$3 or assign\$3 or determin\$3) with record\$1 with (id\$2 or identifier\$1) with unique\$4) and (TID\$2 or (transacaction\$1 with (id\$2 or identifier\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 16:42
S65	432	(isolation with level\$1) and (process\$3 with transaction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 17:34
S66	2	(isolation with level\$1) and (process\$3 with transaction\$1) and ("multi-version" or (multi adj version\$1) or mv\$2 or multiversion\$1) with ((database\$1 with management with system\$1) or dbms\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 17:38

EAST Search History

S67	18	(isolation with level\$1) and (process\$3 with transaction\$1) and ("multi-version" or (multi adj version\$1) or multiversion\$1 or ((multiple or many) with version\$1)) and ((database\$1 with management with system\$1)or dbms\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 17:50
S68	4	(isolation with level\$1) and (process\$3 with transaction\$1) and ("multi-version" or (multi adj version\$1) or multiversion\$1 or ((multiple or many) with version\$1)) and ((database\$1 with management with system\$1)or dbms\$2) and (RID\$2 or (record\$1 with (identifier\$1 or ID\$2))) and (TID\$2 or (transaction\$1 with (identifier\$1 or ID\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 17:45
S69	5	(isolation with level\$1) and (process\$3 with transaction\$1) and ("multi-version" or (multi adj version\$1) or multiversion\$1 or ((multiple or many) with version\$1)) and ((database\$1 with management with system\$1)or dbms\$2) and (RID\$2 or (record\$1 with (identifier\$1 or ID\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 17:48
S70	10	(isolation with level\$1) and (process\$3 with transaction\$1) and ("multi-version" or (multi adj version\$1) or multiversion\$1 or ((multiple or many) with version\$1)) and ((database\$1 with management with system\$1)or dbms\$2) and (visib\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 17:51
S71	1	((("multi-version" or (multi adj version\$1) or "multi-versioning") and ((database\$1 with management with system) or DBMS)) and (concurrent or concurrenc\$3) and (isolat\$3) and ((("must-see" or (must adj see) or include\$2) same (exclude\$2 or "cannot-see" or (cannot adj see)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 07:43
S72	1	((("multi-version" or (multi adj version\$1) or "multi-versioning") and ((database\$1 with management with system) or DBMS)) and (isolat\$3) and ((("must-see" or (must adj see) or include\$2) same (exclude\$2 or "cannot-see" or (cannot adj see)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 07:44

EAST Search History

S73	1	((("multi-version" or (multi adj version\$1) or "multi-versioning") and ((database\$1 with management with system) or DBMS)) and (("must-see" or (must adj see) or include\$2) same (exclude\$2 or "cannot-see" or (cannot adj see))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 07:44
S74	3	((("multi-version" or (multi adj version\$1) or "multi-versioning") and ((database\$1 with management with system) or DBMS)) and (("must-see" or (must adj see) or include\$2) and (exclude\$2 or "cannot-see" or (cannot adj see))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 07:44
S75	2	((("multi-version" or (multi adj version\$1) or "multi-versioning") and ((database\$1 with management with system) or DBMS)) and (("must-see" or (must adj see) or include\$2) and (exclude\$2 or "cannot-see" or (cannot adj see))) and transaction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 08:33
S76	73	("multi-version" or (multi adj version\$1) or "multi-versioning") and (process\$3 with transaction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 08:34
S77	2	("multi-version" or (multi adj version\$1) or "multi-versioning") and ((database\$1 with management with system) or DBMS) and (("must-see" or (must adj see) or include\$2) and (exclude\$2 or "cannot-see" or (cannot adj see))) and transaction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 08:33
S78	17	("multi-version" or (multi adj version\$1) or "multi-versioning") and (process\$3 with transaction\$1) and ((visib\$5 or invisib\$5) with (table\$1 or list\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 08:52
S79	19	("multi-version" or (multi adj version\$1) or "multi-versioning") and (transaction\$1) and ((visib\$5 or invisib\$5) with (table\$1 or list\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 08:54
S80	1	("6237001").PN.	USPAT; USOCR	OR	OFF	2006/03/30 12:14
S81	4	("6237001").URPN.	USPAT	OR	OFF	2006/03/30 08:54

EAST Search History

S82	564	transaction\$1 with delet\$3 with record\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 12:16
S83	1	transaction\$1 with delet\$3 with record\$1 with identifier with field\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 12:16
S84	31	transaction\$1 with delet\$3 with record\$1 with field\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 12:17
S85	6	transaction\$1 with delet\$3 with record\$1 with field\$1 with (ID or identifier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 12:17
S86	6	transaction\$1 with delet\$3 with record\$1 with field\$1 with (ID\$2 or identifier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 12:28
S87	0	transaction\$1 and (record\$1 with ("high-level-mark" or "high-level-marks" or (high adj level adj mark\$1)) with ("low-level-mark" or "low-level-marks" or (low adj level adj mark\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 12:31
S88	1	transaction\$1 and ("high-level-mark" or "high-level-marks" or (high adj level adj mark\$1)) and ("low-level-mark" or "low-level-marks" or (low adj level adj mark\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 12:31